

HIP-180BE3

The SANYO HIT (Heterojunction with Intrinsic Thin layer) solar cell is made of a thin mono crystalline silicon wafer surrounded by ultra-thin amorphous silicon layers. This product provides the industry's leading performance and value using state-of-the-art manufacturing techniques.




Benefit in Terms of Performance High efficiency cell:17.3%, Module:15.3%

The HIT cell and module have the world's top-level efficiency in mass production.

High performance at high temperatures

Even at high temperatures, the HIT solar cell can maintain higher efficiency than a conventional crystalline silicon solar cell.



Environmental Friendly Solar Cell

More Clean Energy

HIT can generate more clean Energy than other conventional crystalline solar cells.

Special Features

SANYO HIT solar modules are 100% emission free, have no moving parts and produce no noise. The dimensions of the HIT modules allow space-saving installation and achievement of maximum output power possible on given roof area.

Benefit in Terms of Quality


High quality in accordance with ISO 9001 and 14001 standards

HIT solar cell and modules are subject to strict inspections and measurements to ensure compliance with electrical, mechanical and visual criteria.





HIT Solar Cell Structure



Development of HIT solar cell was supported in part by the New Energy and Industrial Technology Development Organization (NEDO).

Electrical and Mechanical Characteristics HIP-180BE3


Electrical data		
Maximum power (Pmax)	[W]	180
Max.power voltage (Vmp)	[V]	54.0
Max.power current (Imp)	[A]	3.33
Open circuit voltage (Voc)	[V]	66.4
Short circuit current (lsc)	[A]	3.65
Warrnted minimum power (Pmin) [W]	171
Output tolerance	[%]	+10/-5
Maximum system voltage	[V]	760
Temperature coefficient of Pmax	[%/°C]	- 0.33
Voc	[V/°C]	- 0.173
lsc	[mA/°C]	1,10
Note1: Standard Test Conditions: Air mass 1.5, Irradiance = 1000W/m²,		

Note1: Standard Test Conditions: Air mass 1.5, Irradiance = $1000W/m^2$, Cell temperature = $25^{\circ}C$

Note2: The values in the above table are nominal.

Dimensions and weight unit:mm Section A-A unit:mm (440) LABEL Section A-A Weight:14kg

Dependence on irradiance Cell temperature : 25°C 4.00 1000W/m³ 3.50 800W/m² Current [A] 2.50 600W/m² 2.00 400W/m 1.50 1.00 200W/m² 0.50 0.00 20 40 60 Voltage [V] Dependence on temperature



Certificates







Please consult your local dealer for more information.

Warranty

Power output: 20 years (80% of minimum output power) Product workmanship: 2 years

(Based on contact terms.)

CAUTION! Please read the operating instructions carefully before using the products.

Owing to our policy of continual improvement the products covered by this brochure may be changed without notice.

SANYO Component Europe GmbH Clean Energy Division

Stahlgruberring 4 D-81829 Munich, Germany Tel.+49-(0)89-460095-0 Fax.+49-(0)89-460095-170 http://www.sanyo-component.com email:info.solar@sanyo-component.com



SANYO Electric Co.,Ltd Clean Energy Company

5-5 Keihan-Hondori 2, Moriguchi, Osaka 570-8677, Japan Tel. +81-(0)6-69 94-7282 Fax. +81-(0)6-69 94-7289 http://www.sanyo.co.jp/clean/solar/hit_e/index_e.html email:h_solar.1008413@sanyo.co.jp